

CRIMPFOX 10S

Numer artykułu: 1212045

<http://eshop.phoenixcontact.pl/phoenix/treeViewClick.do?UID=1212045>

Crimping pliers, for ferrules according to DIN 46228, 0.14 - 10 mm², pressure lock can be unlocked, lateral entry

Dane handlowe	
Opakowanie	1 pcs.
Taryfa celna	82032000
Waga brutto za 1 szt	0,4443 kg
Strona w katalogu	Strona 270 (CL2-2011)

Uwagi do produktu

Zgodne z WEEE/RoHS od:
29/09/2008



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Dane techniczne

Informacje ogólne

długość (b)	175 mm
Zaprasowanie	crimp kwadratowy

Certyfikaty / aprobaty

Aprobaty

GOST

Akcesoria

Pozycja

Oznaczenie

Opis

Narzędzia

1212047

CRIMPFOX/SPR-2

Zapasowa sprężyna cofaj.

CRIMPFOX 10S Numer artykułu: 1212045

<http://eshop.phoenixcontact.pl/phoenix/treeViewClick.do?UID=1212045>

Adres

PHOENIX CONTACT Sp. z o.o
Długoleka ul. Wroclawska 33D
55-095 Mirków, Poland
Telefon 071/ 39 80 410
Faks 071/ 39 80 499
<http://www.phoenixcontact.pl>



© 2012 Phoenix Contact
Zmiany techniczne zastrzeżone;